Registered No. M. 1173.

# The Mysore Gazette

PUBLISHED BY AUTHORITY

308

Vol. 84] BANGALORE, THURSDAY, SEPTEMBER 1, 1949 [No. 35

## PART V

### SEASON REPORT FOR THE 35HT WEEK ENDING WITH THE TWENTISEVENTH SATURDAY IN AUGUST 1949.

(27TH August 1949).

*Rainfall up to 8 a.m. on Saturday the 27th August 1949.*

| District and Station | This week | Last 35 years' average for the corresponding week | Up to the end of the week from 1st January 1949 — This year | Average of past 35 years | Excess (+) or deficit (—) of col. 4 compared with column. |
|---|---|---|---|---|---|
| | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **BANGALORE.** | | | | | |
| Bangalore City and Taluk | 2 22 | 1 42 | 26 26 | 17 39 | +8 87 |
| Nelamangala | 2 66 | 0 97 | 16 56 | 13 97 | +2 59 |
| Siddlaghatta | 2 77 | 1 10 | 16 42 | 15 42 | +1 00 |
| Chikballapur | 2 40 | 1 89 | 15 87 | 15 03 | +0 84 |
| Gauribidanur | 1 10 | 0 89 | 12 56 | 15 31 | —2 75 |
| Hosakote | 3 00 | 1 56 | 6 91 | 15 89 | —8 98 |
| Doddballapur | 0 81 | 1 03 | 16 54 | 16 25 | +0 2 |
| Devanhalli | 0 40 | 1 38 | 11 43 | 17 41 | —5 98 |
| Kankanhalli | 3 35 | 1 07 | 18 87 | 14 66 | +3 71 |
| Magadi | 1 68 | 1 05 | 18 87 | 16 86 | —2 99 |
| Channapatna | 3 00 | 1 56 | 6 91 | 15 89 | —8 98 |
| Anekal | 0 81 | 1 03 | 16 54 | 16 25 | +0 2 |
| Ramanagaram | 0 40 | 1 38 | 11 43 | 17 41 | —5 98 |
| District Average | 2 04 | 1 19 | 15 48 | 15 77 | —0 34 |
| **KOLAR.** | | | | | |
| Kolar | 1 72 | 0 98 | 14 05 | 13 31 | +0 74 |
| Bangarapet | 1 86 | 1 19 | 12 75 | 12 10 | +0 65 |
| Chintamani | 2 05 | 1 01 | 18 18 | 13 89 | —0 26 |
| Mulbagal | 1 45 | 1 13 | 15 85 | 13 92 | +1 93 |
| Sidlaghatta | 3 77 | 1 00 | 17 04 | 13 77 | +3 27 |
| Chikballapur | 4 43 | 1 20 | 20 16 | 14 36 | +5 80 |
| Gauribidanur | 4 93 | 0 87 | 20 94 | 12 67 | +8 27 |
| Goribidnur | 5 36 | 0 86 | 12 12 | 13 09 | +0 97 |
| Malur | 4 07 | 1 26 | 16 76 | 13 89 | +2 87 |
| Srinivaspur | 1 85 | 0 97 | 18 95 | 13 37 | +5 58 |
| Gudibanda | 5 15 | 1 27 | 23 80 | 18 63 | +3 67 |
| District Average | 3 28 | 1 07 | 16 78 | 13 86 | +2 87 |
| **TUMKUR.** | | | | | |
| Tumkur | 2 40 | 1 88 | 15 45 | 16 22 | —0 77 |
| Madhugiri | 2 01 | 0 69 | 7 39 | 12 53 | —5 14 |
| Chiknayakanhalli | 0 95 | 0 81 | 5 37 | 13 40 | —8 08 |
| Sira | 0 93 | 0 59 | 11 58 | 10 22 | +1 36 |
| Gubbi | 2 41 | 1 08 | 16 59 | 14 10 | +2 49 |
| Tiptur | 2 25 | 0 69 | 6 20 | 11 77 | —5 57 |
| Pavagada | 0 00 | 0 72 | 8 83 | 9 56 | —0 73 |
| Kunigal | 3 32 | 1 35 | 14 12 | 14 04 | +0 08 |
| Kortagere | 1 70 | 0 65 | 8 59 | 12 70 | —4 11 |
| Turuvekere | 1 11 | 0 87 | 11 15 | 12 61 | —1 46 |
| District Average | 1 70 | 0 88 | 10 52 | 12 71 | —2 18 |
| **MYSORE.** | | | | | |
| Mysore | 2 05 | 0 95 | 15 55 | 15 85 | —0 30 |
| Chamarajnagar | 3 20 | 0 67 | 12 41 | 13 16 | —0 75 |
| Hunsur | 0 40 | 0 6 | 10 59 | 18 17 | —7 58 |
| Krishnarajnagar | 0 97 | 0 41 | 9 86 | 13 89 | —8 53 |
| Heggaddevankote | 2 36 | 0 60 | 24 29 | 24 77 | —0 48 |
| Gundlupet | 0 89 | 0 46 | 12 80 | 13 69 | —0 89 |
| Nanjangud | 2 06 | 0 76 | 14 50 | 15 95 | —1 45 |
| T.-Narsipur | 0 35 | 0 87 | 11 84 | 14 06 | —2 22 |
| Periyapatna | 0 00 | 0 71 | 17 01 | 21 63 | —4 62 |
| District Average | 1 80 | 0 66 | 14 31 | 16 74 | —2 42 |

*Rainfall up to 8 a.m. on Saturday the 27th August 1949—contd.*

| District and Station | This week | Last 35 years' average for the corresponding week | Up to the end of the week from 1st January 1949 — This year | Average of past 35 years | Excess (+) or deficit (—) of col. 4 compared with column |
|---|---|---|---|---|---|
| | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **MANDYA.** | | | | | |
| Maudya | 1 86 | 0 88 | 11 84 | 12 94 | —1 60 |
| Seringapatam | 0 79 | 0 56 | 12 02 | 13 28 | —1 26 |
| Malvalli | 1 18 | 0 64 | 15 90 | 12 92 | +2 98 |
| Krishnarajpete | 0 15 | 1 48 | 11 60 | 15 85 | —4 25 |
| Nagamangala | 0 72 | 0 73 | 6 93 | 11 88 | —4 95 |
| Maddur | 0 99 | 0 84 | 13 67 | 12 70 | +0 97 |
| French-Rocks | 0 85 | 0 59 | 13 91 | 12 69 | +1 22 |
| District Average | 0 93 | 0 81 | 12 18 | 13 18 | —1 00 |
| **HASSAN.** | | | | | |
| Hassan | 2 65 | 0 64 | 16 20 | 20 25 | —4 05 |
| Manjarabad (Saklespur) | 1 02 | 2 64 | 47 25 | 74 50 | —27 25 |
| Arkalgud | 0 85 | 0 78 | 17 81 | 25 04 | —7 23 |
| Belur | 1 40 | 0 59 | 15 88 | 26 91 | —11 03 |
| Channarayapatna | 0 84 | 0 68 | 11 56 | 14 44 | —2 88 |
| Arsikere | 1 16 | 0 67 | 12 80 | 13 24 | —0 94 |
| Holo-Narsipur | 0 68 | 0 39 | 10 04 | 15 45 | —5 41 |
| Alur | 0 95 | 0 96 | 18 15 | 29 87 | —11 22 |
| District average | 1 12 | 0 91 | 18 65 | 27 40 | —8 75 |
| **SHIMOGA.** | | | | | |
| Shimoga | 0 75 | 0 77 | 13 57 | 22 45 | —9 88 |
| Channagiri | 0 93 | 0 89 | 15 26 | 17 60 | —2 34 |
| Honnali | 2 03 | 0 85 | 11 36 | 13 18 | —1 82 |
| Shikarpur | 0 00 | 0 86 | 20 49 | 24 93 | —4 49 |
| Sorab | 0 00 | 1 72 | 30 03 | 46 98 | —16 95 |
| Sagar | 0 58 | 3 04 | 46 21 | 68 83 | —22 62 |
| Nagar (Kallurkatte) | 4 13 | 2 87 | 185 82 | 88 75 | +47 07 |
| Tirthahalli | 2 51 | 4 38 | 82 09 | 103 26 | —21 18 |
| Bhadravati | 0 35 | 0 00 | 19 65 | 0 00 | 0 00 |
| District Average | 1 25 | 1 65 | 41 48 | 42 89 | —8 60 |
| **CHIKMAGALUR.** | | | | | |
| Chikmagalur | 2 40 | 0 46 | 22 88 | 20 15 | +2 73 |
| Kadur | 1 29 | 0 20 | 7 69 | 7 22 | +0 47 |
| Tarikere | 0 63 | 0 94 | 20 51 | 21 80 | —1 29 |
| Koppa | 1 68 | 4 10 | 65 62 | 102 68 | —17 06 |
| Mudgere | 0 86 | 2 45 | 50 54 | 80 41 | —29 87 |
| Narasimharajpura | 1 44 | 2 35 | 40 35 | 56 99 | —16 61 |
| Sringeri | 1 81 | 5 87 | 105 18 | 125 82 | —20 64 |
| District Average | 1 44 | 2 84 | 47 54 | 59 29 | —11 75 |
| **CHITALDRUG.** | | | | | |
| Chitaldrug | 0 09 | 0 70 | 7 45 | 12 75 | —5 30 |
| Challakere | 0 35 | 0 46 | 4 42 | 8 42 | —4 00 |
| Hiriyur | 0 28 | 0 53 | 5 28 | 10 44 | —5 16 |
| Holalkere | 0 90 | 0 69 | 11 54 | 13 13 | —1 59 |
| Davangere | 0 82 | 0 78 | 12 85 | 13 58 | —1 23 |
| Molakalmuru | 0 50 | 0 76 | 6 82 | 10 88 | —3 56 |
| Jagalur | 2 00 | 0 61 | 8 08 | 11 35 | —3 27 |
| Hosdurga | 1 80 | 0 47 | 7 78 | 12 10 | —4 37 |
| Haribar | 0 00 | 0 61 | 8 79 | 11 33 | —2 54 |
| District Average | 0 69 | 0 62 | 8 05 | 11 50 | —3 45 |
| Provincial Average | ... | ... | ... | ... | ... |

### STATEMENT SHOWING THE PRICES OF FOOD-GRAINS IN SEERS PER RUPEE AND MARKET FLUCTUATIONS IN PRICES OF FOOD-GRAINS FOR THE 35TH WEEK ENDING SATURDAY THE 27TH AUGUST 1949.

| | Kind of grains | This week | Past week | Past ten years' fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Bangalore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 12·0 |
| | Kulthi | 2·4 | 2·4 | 6·0 |
| | Kadale | 2·4 | 2·4 | 6·0 |
| Kolar | Rice, 2nd sort | 2·8 | 2·8 | 6·0 |
| | Ragi | 5·0 | 5·0 | 10·0 |
| | Kulthi | 2·8 | 2·8 | 6·0 |
| | Kadale | 2·4 | 2·4 | 4·0 |
| Tumkur | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·0 | 2·0 | 4·0 |
| | Kadale | 2·0 | 2·0 | 4·0 |
| Mysore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 10·0 |
| | Kulthi | 2·8 | 2·8 | 9·0 |
| | Kadale | 1·4 | 1·4 | 9·0 |
| Mandya | Rice, 2nd sort | 3·0 | 3·0 | 4·8 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·8 | 2·8 | 7·0 |
| | Kadale | 1·4 | 1·4 | 3·0 |
| Hassan | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·8 | 2·8 | 8·0 |
| | Kadale | 1·4 | 1·4 | 4·0 |
| Shimoga. | Rice, 2nd sort | 3·0 | 3·0 | 7·13 |
| | Ragi | 5·0 | 5·0 | 16·67 |
| | Kulthi | 2·4 | 2·4 | 9·75 |
| | Kadale | 1·4 | 1·4 | ... |
| Chikmagalur. | Rice, 2nd sort | ... | ... | Controlled rates ... |
| | Ragi | ... | ... | ... |
| | Kulthi | 2·8 | 2·8 | ... |
| | Kadale | 1·8 | 1·8 | ... |
| Chitaldrug | Rice, 2nd sort | 2·8 | 2·8 | 6.0 |
| | Ragi | 3·8 | 3·8 | 16·0 |
| | Kulthi | 3·0 | 3·0 | 14·8 |
| | Kadale | 1·4 | 1·4 | 7·0 |

DISTRICT REPORTS.

8. Market how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which rainfall has been insufficient, areas affected by scarcity. Number of people under relief and state of food stocks.

11. Remarks on the condition of agricultural stock, failure of pasturage of fodder, etc.

BANGALORE.

8. Well supplied.

9. (1) *Standing Crops.*—Ragi, avare, togari, groundnut, paddy and sugarcane are in good condition on account of recent rains.

(2) *Harvests.*—Vaisaki paddy is being harvested in Hoskote and Magadi Taluks.

(3) *Crops sown.*—Nil.

10. Good. Coolies find sufficient labour.

11. Cattle are reported to be generally healthy. Water and fodder are available.

"Blackquarter" is reported to be prevailing in Tagachakuppe Village and the Veterinary Department is taking action to check the epidemic.

KOLAR.

8. Moderately supplied.

9. *Seeds sown.*—Nil.

*Standing Crops.*—Sugarcane, ragi, paddy, potatoes and mulberry are reported to be in good condition.

*Crops Harvested*—Nil.

10. Fair.

Public health is reported to be generally good except for the prevalence of small-pox at Devaramallur and Settihalli in Sidlaghatta Taluk. Preventive measures are taken to check the spread of the epidemic. Labour is available to cooli classes.

11. Cattle are reported to be generally healthy.

Fodder and water are available.

TUMKUR.

8. Fairly well supplied.

9. *Seeds sown.*—Ragi in parts of Madhugiri, Chiknayakanahalli and Pavagada Taluks.

*Standing Crops.*—Ragi, jola, avare, groundnut, all over the District; sugarcane and paddy in Tumkur and Kunigal Taluks.

*Crops harvested.*—Paddy in Turuvekere Taluk.

10. Fair in general.

*Public Health.*—Generally good except for prevalence of plague in Settikere and Huliyar Villages in Chiknaikanahalli Taluk; Gowripura and Kadabettahalli Village in Gubbi Taluk and Cholera in Gunderlahalli Villages in Pavagada Taluk. Necessary action to prevent the spread of the diseases is reported to have been taken.

Cattle are reported to be generally healthy; water and fodder are available.

Cooly classes find sufficient labour.

MYSORE.

8. Normally supplied.

9. *Seeds sown.*—It is reported that ragi is being sown in Nanjangud Taluk; horsegram, greengram and blackgram are being sown in Chamarajanagar Taluk, Krishnarajanagar, Nanjangud, T. Narasipur and Periyapatna Taluks.

*Standing crops.*—Paddy, ragi, jola, thogari, groundnut, sugarcane and castor crops are reported to be in good condition in all the taluks except in the taluks of Hunsur and Periyapatna. It is reported that there is an attack of redrot disease to ragi crops in these taluks.

*Crops harvested.*—It is reported that jola and til in Chamarajanagar, Hunsur and Nanjangud Taluks and groundnut and karpaddy in Nanjangud Taluk are being harvested.

10. (1) Fairly good.

(2) Rainfall is scanty in Hunsur, Gundlupet and T. Narasipur Taluks. There was no rainfall at all in Periyapatna Taluk during the week.

(3) Nil

(4) None under relief.

(5) Sufficient quantity of food grains are available throughout the District.

11. Cattle are reported to be generally healthy. Fodder and water are available throughout the District.

MANDYA.

8. Well supplied.

9. *Crops harvested.*—Kar ragi and kar paddy are being

*State of standing crops.*—Standing crops such as kar paddy, kar ragi and jola are reported to be fair after the rainfall during the week under report. Jola crops is reported to have been affected by some disease in French-Rocks Taluk and some more showers are reported to be necessary for the standing crops in this Taluk.

10. Prospects of the season are reported to be fair.

11. Public health is reported to be good in almost all the Taluks except for the prevalence of plague in Krishnarajpet Town. Preventive measures are reported to have been taken to check the epidemic.

Cattle are reported to be healthy and water and fodder are reported to be available in sufficient quantity.

HASSAN.

8. Well supplied.

*Crops sown.*—Transplantation of paddy in Manjarabad, Hole-Narasipur and Alur Taluks and of doddaragi in Holenarasipur Taluk is going on. Horsegram is being sown in parts of Hole-Narasipur Taluk.

9. *Standing Crops.*—Paddy in Hassan, Arkalgud and Alur Taluks; ragi in Hassan, Arkalgud, Channarayapatna and Alur Taluks; sugarcane in Hassan, Alur and Channarayapatna Taluks; potato in Hassan Taluk; Til, jolam, tadaguni in Arsikere Taluk and groundnut in Channarayapatna and Arsikere Taluks are reported to be generally in good condition. More rain is urgently required in Manjarabad, Belur, Arkalgud, Hole-Narsipur, Alur and Channarayapatna Taluks. It is reported that the standing paddy crop in some villages in Manjarabad Taluk is affected by "Katte Roga" owing to insufficient rain.

*Crops harvested.*—Groundnut is being reaped in parts of Channarayapatna Taluk.

10. Prospects of the season are reported to be generally good, but more rain is badly needed in all the taluks.

11. Water and fodder are generally available for cattle and cattle are reported to be healthy.

SHIMOGA.

8. Well supplied.

9. Transplantation of paddy crop is going on in Thirthahalli Taluk. Ragi and navane are being sown in Honnali Taluk. Paddy crop in Shikarpur, Honnali, Shimoga, Sorab, Sagar and Bhadravati are in need of rains. Paddy crop in tank achkats in Bhadravati Taluk is reported to be withering for want of rains. Paddy crop in Shikarpur Taluk is said to have suffered to some extent on account of Benki Roga. Paddy crop in Sagar Taluk is attacked by the Leplispa. The Amildar, Sagar, reports that he has requested the Agricultural Department to take preventive measures.

10. Rainfall is needed in most of the taluks. Prospect of the season is generally good. There is prevalence of plague in Chennagiri Taluk. The Amildar, Chennagiri, reports that preventive measures have been taken.

11. Cattle are generally healthy. Water and fodder are available. Cattle in Chennagiri Taluk are suffering from "Blackquarter." Preventive measures have been taken by the Veterinary Department.

CHIKMAGALUR.

8. Markets are fairly well supplied.

9. Transplantation of paddy is going on as reported in the previous week. Sowing of horsegram in Tarikere Taluk has commenced. Kar-ragi in Sakrepatna Circle and Vaishaki paddy under the atchkat of Devanur and Keresanthe Tanks in Kadur Taluk are being harvested. Giddaragi in Chikmagalur Taluk is being harvested. Pest on paddy seedlings in some parts of Narasimharajapura Sub-Taluk and Mudigere Taluk is reported to be continuing. Ragi crop of Beekanahalli village of Chikmagalur Taluk is infected with "ಕಬ್ಬೆಡೆಗಳ". The Assistant Director of Agriculture has been addressed for taking necessary action in eradicating the disease. Standing crops in other taluks are reported to be fair except Kadur and Tarikere Taluks where it is reported to be withering in some parts of the Taluk for want of rains, as they require rains badly.

10. Seasonal conditions are fair in all the taluks except in Kadur and Tarikere Taluks. During the week under report, there is 1 inch 29 cents of rainfall in Kadur Taluk, but it is reported that there is no rain in some parts of Singatagere and Hirenallur Hoblies of Kadur Taluk so far.

Small-pox is reported to be prevailing in some villages of Hirenallur Hobli of Kadur Taluk. There was a report of rat fall in Bidare village of Kadur Taluk and in one residential building of Chikmagalur Town. The Department of Health has been appraised of the prevalence of these diseases for taking control measures. In Chikmagalur Town, th

President, Municipal Council, Chikmagalur and the District Health Officer have already undertaken precautionary measures.

11. Cattle are reported to be generally healthy. It is reported by the Amildar, Mudigere, that cattle in some parts of Mudigere Taluk are suffering from some disease and the Veterinary Inspector of Mudigere Taluk has been addressed in this behalf to take immediate steps.

Fodder and water are reported to be available to the cattle in all the Taluks. But in Kadur Taluk, it is reported that there is no improvement in the situation. In Lakya Hobli of Chikmagalur Taluk also, fodder scarcity is being felt. The question of throwing open State Forests and Amrithmahal Kaval for free grazing is under active consideration.

## CHITALDRUG.

8. Markets are reported to be well supplied except in controlled commodities.

9. *Sowing.*—Transplantation of paddy and ragi in Hiriyur Taluk and sowing of ragi in Hosadurga Taluk are reported to be in progress.

*Standing Crops.*—The standing crops in dry lands jola, navane, save, sajje, and ragi in Challakere, Hiriyur, Holalkere, Jagalur, Hosadurga and Harihar Taluks are reported to be in fair condition owing to recent rain fall during this week. The Amildars of Chitaldrug and Molakalmuru Taluks have reported that the standing crops in dry lands are withering for want of rains.

*Harvesting.*—Harvesting of gidda ragi is reported to be in progress in Challakere, Hiriyur and Molakalmuru Taluks.

10. Cooly classes are finding sufficient labour throughout the District.

11. Cattle are reported to be generally healthy throughout the District, except in a few villages of Harihar Taluk where the "ಗಳಲು ಪೀಡೆ" and blackquarter diseases are reported to be prevailing. Precautionary measures are reported to have been taken by the Veterinary Department to check the spread of the diseases.

Water and fodder are reported to be available.

STATEMENT SHOWING THE PRICES CURRENT (RETAIL) OF RICE (2ND SORT), RAGI AND HORSEGRAM AT THE SEVERAL TALUK HEADQUARTERS FOR THE 35TH WEEK ENDING SATURDAY, THE 27TH AUGUST 1949.

*Quantity per rupee by the standard seer of 80 tolas*

| District | Taluk | Rice, 2nd sort Srs. | Chs | Ragi Srs. | Chs | Horsegram Srs. | Chs. | Kadale Srs. | Chs. |
|---|---|---|---|---|---|---|---|---|---|
| Bangalore | Bangalore | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 8 |
| | Hoskote | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Dodballapur | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Nelamangala | 3 | 0 | 2 | 8 | 2 | 8 | 2 | 4 |
| | Kankanhalli | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Magadi | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Channapatna | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Anekal | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Devanhalli | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 4 |
| | Ramanagaram | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 4 |
| Kolar | Kolar | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Bangarapet | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Chintamani | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Mulbagal | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Sidlaghatta | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Chikballapur | 1 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Bagepalli | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Goribidnur | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| Tumkur | Malur | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Srinivaspur | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Gudibanda | 2 | 8 | 5 | 0 | 2 | 4 | 2 | 0 |
| | Tumkur | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Madhugiri | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Chiknayakanhalli | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Sira | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Gubbi | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Tiptur | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Pavagada | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Kunigal | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Koratagere | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Turuvekere | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| Mysore | Mysore | | | | | 2 | 0 | ... | |
| | Chamarajnagar | | | | | 2 | 8 | ... | |
| | Hunsur | | | | | 2 | 8 | ... | |
| | Krishnarajanagar | | | | | 2 | 8 | ... | |
| | Heggaddevankote | At Controlled rates | | | | 2 | 8 | ... | |
| | Gundlupet | | | | | 2 | 8 | ... | |
| | Nanjangud | | | | | 2 | 8 | ... | |
| | T.-Narasipur | | | | | 2 | 8 | ... | |
| | Periyapatna | | | | | 2 | 12 | ... | |
| Mandya | Mandya | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Srirangapatna | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 2 |
| | Malvalli | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Krishnarajpet | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 8 |
| | Nagamangala | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Maddur | 3 | 0 | 5 | 0 | 2 | 0 | 1 | 8 |
| | French-Rocks | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 6 |
| Hassan | Hassan | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Manjarabad | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 4 |
| | Arkalgud | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Belur | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 8 |
| | Channarayapatna | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 8 |
| | Arsikere | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| | Hole-Narsipur | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Alur | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |

*Quantity per rupee by the standa seer of 80 tolas*

| District | Taluk | Rice, and sort Srs. | Chs. | Ragi Srs. | Chs. | Horse-gram Srs. | Chs. | Ka Srs. | C |
|---|---|---|---|---|---|---|---|---|---|
| Shimoga | Shimoga | 3 | 0 | 5 | 0 | 2 | 8 | 1 | |
| | Channagiri | 3 | 0 | 5 | 0 | 3 | 4 | 1 | |
| | Honnali | 3 | 0 | 5 | 0 | 2 | 8 | 1 | |
| | Shikarpur | 3 | 0 | 5 | 0 | 2 | 8 | 1 | |
| | Sorab | 3 | 0 | 5 | 0 | 2 | 0 | 1 | |
| | Sagar | 3 | 0 | 5 | 0 | 2 | 4 | 1 | |
| | Nagar | 3 | 0 | 5 | 0 | 1 | 4 | 1 | |
| | Thirthahalli | 3 | 0 | 5 | 0 | 2 | 4 | 1 | |
| | Bhadravathi | 3 | 0 | 5 | 0 | 2 | 8 | 1 | |
| Chikmagalur | Chikmagalur | | | | | 2 | 8 | 1 | |
| | Kadur | | | | | 2 | 4 | 1 | |
| | Tarikere | | | | | 2 | 8 | 1 | |
| | Koppa | At Controlled rates | | | | 2 | 4 | 1 | |
| | Mudgere | | | | | 2 | 8 | 1 | |
| | Narasimharajapura | | | | | 2 | 0 | | |
| | Sringeri | | | | | 2 | 0 | 1 | |
| Chitaldrug | Chitaldrug | 2 | 8 | 5 | 0 | 3 | 0 | .. | |
| | Challakere | 2 | 8 | 5 | 0 | 2 | 12 | .. | |
| | Hiriyur | 2 | 8 | 5 | 0 | 2 | 8 | .. | |
| | Holalkere | 3 | 0 | 5 | 0 | 3 | 0 | .. | |
| | Davangere | 2 | 8 | 3 | 8 | 3 | 0 | .. | |
| | Molakalmuru | 2 | 8 | 5 | 0 | 3 | 0 | .. | |
| | Jagalur | 2 | 8 | 5 | 0 | 4 | 0 | .. | |
| | Hosdurga | 2 | 8 | 5 | 0 | 2 | 8 | .. | |
| | Harihar | 3 | 0 | 5 | 0 | 3 | 8 | .. | |

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE,
*Bangalore,*
Dated 30th August 1949.

V. VEDAVYASACHARY,
*Revenue Commissione*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH

### NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, FOR THE WEEK ENDED THURSDAY, THE 25TH AUGUST 1949.

A total of 85 attacks with 40 deaths from Plague we returned from 19 villages, in 13 taluks, in 7 districts during th week against 50 attacks with 29 deaths in the previous wee Cities of Bangalore and Mysore reported nil attacks with n death and 1 attack with 1 death respectively and Kolar Go Field area reported free from Plague. Comparative figur for the corresponding week in 1948 and 1947 were 61 attac with 36 deaths and 73 attacks with 31 deaths, respectively.

A total of 27 attacks with 9 deaths from Small-pox wer reported from Bangalore Civil Station and Kolar Gold Fie and from Anekal, Bowringpet, Chikballapur, Chamarajanaga Gundlupet, Krishnarajnagar, Kankanhalli, Malur and Madhu giri Taluks.

Ten attacks with 1 death from Cholera were reported fron Davangere and T.-Narasipur Taluks.

The State remained free from Influenza and Relapsic Fever.

The total mortality for Bangalore City amounted to 160 (8 in hospitals) for 6 days, representing a calculated death-rat of 31·3 (23·9 excluding hospital deaths) per mille of popu lation (annual basis) as against 27·2 for the correspondin week of last year. Classified according to causes, the deatl numbered 1 under Typhoid, 1 under Other Fevers, 3 und Phthisis, 38 under Dysentery and Diarrhœa and 117 und All Other Causes. The reported mortality was normal.

During the week, the Civil Station, Bangalore, returne 72 deaths (14 in hospitals) for 6 days representing a calculate death-rate of 24·6 (19·8 excluding hospital deaths) per mil of population (annual basis) as against 31·1 for the corre ponding week of last year. Classified according to causes, th deaths were: Small-pox 2, Malaria 1, Broncho Pneumonia 4 Pneumonia 8, Dysentery and Diarrhœa 15 and All Othe Causes 42.

The total mortality for Mysore City was 66 (21 in hospitals for 6 days representing a calculated death-rate of 21·6 (14· excluding hospital deaths) per mille of population (annua basis) as against 20·4 for the corresponding week of last year Classified according to causes the deaths were: Plague 1 Phthisis 2, Dysentery and Diarrhœa 5, and All Other Cause 53. The reported mortality was low.

There were 29 deaths (1 in hospital) for 5 days from al causes in Kolar Gold Field Area equivalent to a calculate death-rate of 12·1 (11·7 excluding hospital deaths) per mill of population (annual basis) as against 8·6 for the corres ponding week of last year. Classified according to causes, th deaths numbered: 1 under Small-pox, 1 under Other Fevers 1 under Phthisis, 6 under Dysentery and Diarrhœa and 2( under All Other Causes. The reported mortality was ver low.

E. R. SUNDARARAJAN,
For *Director.*



Printed by the D